




# UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

ITZ

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/631,234	07/31/2003	Swetal A. Patel	CE11265JI111	1739

7590 01/10/2007  
Larry G. Brown  
Motorola, Inc.  
Law Department  
8000 West Sunrise Boulevard  
Fort Lauderdale, FL 33322

EXAMINER
----------

BALAOING, ARIEL A

ART UNIT	PAPER NUMBER
----------	--------------

2617

SHORTENED STATUTORY PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE
3 MONTHS	01/10/2007	PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.



<b>Application No.</b> 10/631,234	<b>Applicant(s)</b> PATEL ET AL.	
	<b>Examiner</b> Ariel Balaoing	<b>Art Unit</b> 2617

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 20 October 2006.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-3, 5-12 and 14-17 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-3, 5-12 and 14-17 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 03 May 2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/SB/08)  
Paper No(s)/Mail Date \_\_\_\_\_
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: \_\_\_\_\_

## **DETAILED ACTION**

### ***Response to Arguments***

1. Applicant's arguments with respect to claims 1-3, 5-12, 14-17 have been considered but are moot in view of the new ground(s) of rejection.

### ***Claim Rejections - 35 USC § 103***

2. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
3. Claims 1-3, 6-12, 15-17 rejected under 35 U.S.C. 103(a) as being unpatentable over GETTLEMAN et al (US 5,987,332) in view of MA et al (US 5,995,500) and in further view of SHAFFER et al (US 2006/0171519 A1).

Regarding claim 1, GETTLEMAN discloses a method for notifying callers, comprising the steps of: during a dispatch call in a dispatch system, assigning a first communications channel to a set of callers (column 2:lines 41-50; column 3:lines 8-15); temporarily converting the first communications channel [traffic channel] (410, 420, 430-Figure 4) to a second communications channel [temporary control channel] (415, 425-Figure 4) when the first communications channel is released (column 4:line 53-column 5:line 7; voice channel is converted into control channel during lulls in communication); and transmitting over the second communication channel a message [neighbor cell information] to at least one of the set of callers (column 5:lines 51-54); wherein both the first communications channel and the second communications channel are part of the dispatch system (col. 4, line 26-col. 5, line 7). However, GETTLEMAN does not expressly disclose wherein the message is a user-recognizable notification that a party

is attempting to contact at least one of the set of callers. MA discloses wherein the message is a user-recognizable notification that a party is attempting to contact at least one of the set of callers [call waiting] (column 3:line 66-column 5:line 7). Therefore it would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify GETTLEMAN to include notification that a party is attempting to contact one of the mobile subscribers within the control channel, as both inventions involve using a wireless system and message transmittance within the control channel. This is beneficial in that it allows the disclosed invention of GETTLEMAN to more efficiently process control information when communicating with another subscriber. However the combination of GETTLEMAN and MA does not expressly disclose permitting at least one of the set of callers to determine whether to terminate the first communications channel in response to the receipt of the user-recognizable notification. SHAFFER discloses permitting at least one of the set of callers to determine whether to terminate the first communications channel in response to the receipt of a user-recognizable notification (paragraph 25, 33, 50, 61; in response to a hold message a user is permitted to disconnect a first media stream (i.e. terminate a communication channel) and place another call if desired. Although SHAFFER shows wired devices, it is clear from paragraph 18 and 21 that various devices and networks are considered). Therefore it would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify the combination of GETTLEMAN and MA to end a first communication channel, as taught by SHAFFER since it is well known and common in the art to release resources used by two terminals after a call has been disconnected.

It is further noted that during a call waiting notification situation, it is well known and conventional to permit either an caller or called terminal to terminate a communication channel by ending the current call.

Regarding claim 2, see the rejections of the parent claim concerning the subject matter this claim is dependant upon. GETTLEMAN further discloses wherein the first communications channel is converted to the second communications channel for the shorter duration of a predetermined amount of time and a time until the first communications channel is no longer released (column 5:lines 60-64; control channel is active for a short period during lull in communication after a predefined duration).

Regarding claim 3, see the rejections of the parent claim concerning the subject matter this claim is dependant upon. GETTLEMAN further discloses further comprising the step of selectively converting the second communications channel back to the first communications channel (column 4:line 53-column 5:line 7).

Regarding claims 6 and 15, see the rejections of the parent claims concerning the subject matter this claim is dependant upon. However, GETTLEMAN does not expressly disclose further comprising the steps of: terminating the first communications channel after one of the set of callers receives the transmitted message; and assigning a third communications channel to permit at least one of the set of callers to contact the party. MA discloses further comprising the steps of: terminating the first communications channel after one of the set of callers receives the transmitted notification (Figure 8; column 3:line 66-column 5:line 7; column 10:lines 36-50; traffic channel is terminated and slave mobile enters indirect mode with new traffic channel assignment); and

assigning a third communications channel to permit at least one of the set of callers to contact the party (Figure 8; column 10:lines 36-62; third party connects to mobile and is inherently assigned a new traffic channel until third party disconnects). Therefore it would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify GETTLEMAN to include a third communication channel to permit communication between a at least one of the set of callers, as taught by MA, as this allows the original call to be placed on hold until the third party is finished.

Regarding claim 7, see the rejections of the parent claim concerning the subject matter this claim is dependant upon. GETTLEMAN further discloses wherein the first communications channel is a traffic channel (410, 420, 430-Figure 4; column 4:line 53-column 5:line 7) and the second communications channel is a temporary control channel (415, 425-Figure 4; column 4:line 53-column 5:line 7).

Regarding claim 8, see the rejections of the parent claim concerning the subject matter this claim is dependant upon. GETTLEMAN further discloses wherein the set of callers use communications units assigned to the first communications channel to communicate with one another (column 4:line 53-column 5:line 7) and wherein the first communications channel is released when none of the communications units that are assigned to the first communications channel are transmitting over the first communications channel (column 5:lines 4-6; communication channel can be reassigned if temporary control channel is active for extend periods of time).

Regarding claim 9, GETTLEMAN discloses a method of notifying callers, comprising the steps of: during a dispatch call in a dispatch system, assigning a first

Art Unit: 2617

communications channel to a set of callers (column 2:lines 41-50; column 3:lines 8-15); temporarily converting the first communications channel [traffic channel] (410, 420, 430-Figure 4) to a second communications channel [temporary control channel] (415, 425-Figure 4) when the first communications channel is released (column 4:line 53-column 5:line 7; voice channel is converted into control channel during lulls in communication); and transmitting a message [neighbor cell information] to at least one of the set of callers over the second communications channel (column 5:lines 51-54); and wherein both the first communications channel and the second communications channel are part of the dispatch system (col. 4, line 26-col. 5, line 7). However, GETTLEMAN does not expressly disclose that wherein the message is a notification that a party is attempting to contact at least one of the set of callers; and wherein the notification is capable of being perceived by a user. MA discloses that wherein the message is a notification that a party is attempting [call waiting] to contact at least one of the set of callers (column 3:line 66-column 5:line 7); and wherein the notification is capable of being perceived by a user (column 3:line 66-column 5:line 7; call waiting is defined as a feature that allows a user to be notified of another incoming call while a call is already in progress).

Therefore it would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify GETTLEMAN to include notification that a party is attempting to contact one of the mobile subscribers within the control channel, as taught by MA, since both inventions involve using a wireless system and message transmittance within the control channel. This is beneficial in that it allows the disclosed invention of GETTLEMAN to more efficiently process control information when

communicating with another subscriber. However the combination of GETTLEMAN and MA does not expressly disclose permitting at least one of the set of callers to determine whether to terminate the first communications channel in response to the receipt of the notification. SHAFFER discloses permitting at least one of the set of callers to determine whether to terminate the first communications channel in response to the receipt of a notification (paragraph 25, 33, 50, 61; in response to a hold message a user is permitted to disconnect a first media stream (i.e. terminate a communication channel) and place another call if desired. Although SHAFFER shows wired devices, it is clear from paragraph 18 and 21 that various devices and networks are considered).

Therefore it would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify the combination of GETTLEMAN and MA to end a first communication channel, as taught by SHAFFER since it is well known and common in the art to release resources used by two terminals after a call has been disconnected. It is further noted that during a call waiting notification situation, it is well known and conventional to permit either an caller or called terminal to terminate a communication channel by ending the current call.

Regarding claim 10, GETTLEMAN discloses a system for notifying callers, comprising: at least one base station (125, 135, 145-Figure 1; column 3:lines 17-20); and an application processor [system control] (110-Figure 1), wherein said application processor assigns a first communications channel [traffic channel] (410, 420, 430-Figure 4) to a set of callers and instructs said base station to temporarily convert said first communications channel to a second communications channel [temporary control



channel] (415, 425-Figure 4) when said first communications channel is released (column 3:lines 8-11; column 4:line 53-column 5:line 7; voice channel is converted into control channel during lulls in communication), wherein said system is a dispatch system (column 2:lines 41-50); wherein during a dispatch call, said application processor generates a message [neighbor cell information] and instructs said base station to transmit said message to at least one of the set of callers over said second communications channel (column 2:lines 41-50; column 5:lines 51-54); wherein both the first communications channel and the second communications channel are part of the dispatch system (col. 4, line 26-col. 5, line 7). However, GETTLEMAN does not expressly disclose wherein said message is a user-recognizable notification that a party is attempting to contact at least one of the set of callers. MA discloses wherein the message is a user-recognizable notification that a party is attempting to contact at least one of the set of callers [call waiting] (column 3:line 66-column 5:line 7). Therefore it would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify GETTLEMAN to include notification that a party is attempting to contact one of the mobile subscribers within the control channel, as both inventions involve using a wireless system and message transmittance within the control channel. This is beneficial in that it allows the disclosed invention of GETTLEMAN to more efficiently process control information when communicating with another subscriber. However the combination of GETTLEMAN and MA does not expressly disclose wherein said application processor permits at least one of the set of callers to determine whether to terminate the first communications channel in response to the receipt of the user-

recognizable notification. SHAFFER discloses wherein an application processor [call manager] permits at least one of the set of callers to determine whether to terminate the first communications channel in response to the receipt of a user-recognizable notification (paragraph 25, 33, 50, 61; in response to a hold message a user is permitted to disconnect a first media stream (i.e. terminate a communication channel) and place another call if desired. Although SHAFFER shows wired devices, it is clear from paragraph 18 and 21 that various devices and networks are considered).

Therefore it would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify the combination of GETTLEMAN and MA to end a first communication channel, as taught by SHAFFER since it is well known and common in the art to release resources used by two terminals after a call has been disconnected. It is further noted that during a call waiting notification situation, it is well known and conventional to permit either an caller or called terminal to terminate a communication channel by ending the current call.

Regarding claim 11, see the rejections of the parent claim concerning the subject matter this claim is dependant upon. GETTLEMAN further discloses wherein said application processor instructs said base station to convert said first communications channel to said second communications channel for the shorter duration of a predetermined amount of time and a time until said first communications channel is no longer released (column 5:lines 60-64; control channel is active for a short period during lull in communication after a predefined duration).

Regarding claim 12, see the rejections of the parent claim concerning the subject matter this claim is dependant upon. GETTLEMAN further discloses wherein application processor instructs said base station to selectively convert said second communications channel back to said first communications channel (column 4:line 53-column 5:line 7).

Regarding claim 16, see the rejections of the parent claim concerning the subject matter this claim is dependant upon. GETTLEMAN further discloses wherein the first communications channel is a traffic channel (410, 420, 430-Figure 4; column 4:line 53-column 5:line 7) and the second communications channel is a temporary control channel (415, 425-Figure 4; column 4:line 53-column 5:line 7).

Regarding claim 17, see the rejections of the parent claim concerning the subject matter this claim is dependant upon. GETTLEMAN further discloses further comprising at least one communications unit assigned to said first communications channel (column 4:lines 44-52), wherein the set of callers use said communications units to communicate with one another (column 4:line 53-column 5:line 7) and wherein said first communications channel is released when none of said communications units that are assigned to said first communications channel are transmitting over said first communications channel (column 5:lines 4-6; communication channel can be reassigned if temporary control channel is active for extend periods of time).

4. Claims 5 and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over GETTLEMAN et al (US 5,987,332) in view of MA et al (US 5,995,500) and SHAFFER et

al (US 2006/0171519 A1) as applied to their parent claims above, and further in view of LADUE (US 6,070,070).

Regarding claims 5 and 14, see the rejections of the parent claims concerning the subject matter these claims are dependant upon. However, the combination of GETTLEMAN, MA and SHAFFER does not disclose wherein the notification includes information that reveals the identity of the party attempting to contact at least one of the set of callers. LADUE discloses wherein the notification includes information [caller I.D.] that reveals the identity of the party attempting to contact at least one of the set of callers (column 14:line 57-column 15:line 11). Therefore it would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify the combination of GETTLEMAN, MA and SHAFFER to include identification information of the caller within the control channel, as taught by LADUE since caller ID is another supplemental service that can be transmitted to a subscriber through the control channel that allows a user to judge whether to interrupt a current call.

### ***Conclusion***

5. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not

mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ariel Balaoing whose telephone number is (571) 272-7317. The examiner can normally be reached on Monday-Friday from 8:00 AM to 4:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, William Trost can be reached on (571) 272-7872. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Ariel Balaoing – Art Unit 2617

*LB 1/3/1*

Application/Control Number: 10/631,234  
Art Unit: 2617

Page 13

AB

A handwritten signature in black ink, appearing to read 'W. Trost', with a long horizontal stroke extending to the right.

WILLIAM TROST  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 2600

**Notice of References Cited**

Application/Control No.

10/631,234

Applicant(s)/Patent Under  
Reexamination  
PATEL ET AL.

Examiner

Ariel Balaoing


Art Unit

2617

Page 1 of 1

**U.S. PATENT DOCUMENTS**

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Name	Classification
*	A	US-2006/0171519 A1	08-2006	Shaffer et al.	379/215.01
	B	US-			
	C	US-			
	D	US-			
	E	US-			
	F	US-			
	G	US-			
	H	US-			
	I	US-			
	J	US-			
	K	US-			
	L	US-			
	M	US-			

**FOREIGN PATENT DOCUMENTS**

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Country	Name	Classification
	N					
	O					
	P					
	Q					
	R					
	S					
	T					

**NON-PATENT DOCUMENTS**

*		Include as applicable: Author, Title Date, Publisher, Edition or Volume, Pertinent Pages)
	U	
	V	
	W	
	X	

\*A copy of this reference is not being furnished with this Office action. (See MPEP § 707.05(a).)  
Dates in MM-YYYY format are publication dates. Classifications may be US or foreign.

Organization TC 2600 Bldg./Room KNOX

U. S. DEPARTMENT OF COMMERCE  
COMMISSIONER FOR PATENTS  
P.O. BOX 1450

ALEXANDRIA, VA 22313-1450  
IF UNDELIVERABLE RETURN IN TEN DAYS

OFFICIAL BUSINESS

AN EQUAL OPPORTUNITY EMPLOYER

*[Handwritten signature]*  
Insufficient to cross

OFFICIAL  
MAIL  
01  
JAN 21 2007  
CODE 22314



RECEIVED  
JAN 21 2007  
USPTO MAIL CENTER

